

7-25-2001

## PVC-CAT-006-I-064-012-SHDSK

Elizabeth Dysert  
*Kenyon College*

Follow this and additional works at: <https://digital.kenyon.edu/honduras>

 Part of the Archaeological Anthropology Commons

---

### Recommended Citation

Dysert, Elizabeth, "PVC-CAT-006-I-064-012-SHDSK" (2001). *Four Valleys Archive*. Paper 78440.  
<https://digital.kenyon.edu/honduras/78440>

This Catalog Sheet is brought to you for free and open access by the Anthropology at Digital Kenyon: Research, Scholarship, and Creative Exchange. It has been accepted for inclusion in Four Valleys Archive by an authorized administrator of Digital Kenyon: Research, Scholarship, and Creative Exchange. For more information, please contact [noltj@kenyon.edu](mailto:noltj@kenyon.edu).

PROYECTO VALLE DE CACAULAPA  
CATALOG FORM

DATE: 25 July, 2001

LOT NUMBER: 6I/064

SUBSTANCE: Ceramic

OBJECT: Sherd disk

CATALOG #: 6I/064-12

MULTIPLES? no

DRAWN BY:

PASTE GROUP (for ceramics)

EXCAVATOR:

CATALOGED BY: 1

MAXIMUM--HGT/LENGTH: 5.6cm WIDTH: 5.3cm THICKNESS: 0.7cm

VERBAL DESCRIPTION: This sherd disk is intact: (y) - n.

If no, approximately what percentage is preserved (give a number):

It is pierced: y - (n)

The pierced hole is biconically drilled: y - n

If not biconical, describe:

Hole's maximum and minimum diameters are: Max = Min =

A scribed/lightly incised line demarcating the circumference is visible: y - (n)

The margin/edge was chipped to form the disk: (y) - n

The margin/edge was deliberately ground to smooth it: (y) - n

The margin/edge is smoothed from use: (y) - n

There is other use wear visible: y - (n)

Trace the disk on the reverse, both frontal view and profile, and show where there is use.

Describe the use: moderately heavy use along about half of the circumference. Smoothing extends onto the interior half, to a lesser extent, the exterior, creating rounded edges.

The type-variety from which this was made is: San Jaquin Gray

Comments:

